## RECEIVED CENTRAL FAX CENTER

MAR 2 0 2006

32692 Customer Number PATENT Docket No.: 58203US004

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

ROBERT K. GALKIEWICZ AND STEFAN DIETRICH

Application No.:

10/788,597

Group Art Unit:

3682

Filed:

February 27, 2004

Examiner:

T. Hannon

Title:

SLIDABLE FASTENER BEARING ASSEMBLY

## AMENDMENT AND RESPONSE TO NOTICE OF NON-COMPLIANT AMENDMENT Under 37 CFR § 1.121

3

Commissioner for Patents P.O. Box 1450

P.O. Box 1450 Alexandria, VA 22313-1450 CERTIFICATE OF TRANSMISSION

To Fax No.: 571-273-8300 (6 290)
I hereby certify that this correspondence is being facsimile transmitted to

the U.S. Patent and Trademark Office on:

71 lauch 20,2006

Signed by: Judy L. Hansen

Dear Sir:

In response to the Notice of Non-Compliant Amendment, Applicants submit herewith replacement pages entitled Amendments to the Claims which replace pages 2-5 of the Amendment and Response originally filed on February 23, 2006. Applicants have submitted all the claim pages as it appears that some of them were not transmitted in the original faxed document. As noted in the Notice of Non-Compliant Amendment and pursuant to 37 CFR 1.121(h), "Only the corrected section of the non-compliant amendment document must be resubmitted (in its entirety), e.g., the entire "Amendments to the claims" section of applicants amendment document must be resubmitted." Therefore, Applicants believe the Amendment and Response originally filed on February 23, 2006 is now complete.

-2-

This response is believed to be timely submitted. It is believed that no fee is due; however, in the event a fee is required, please charge the fee to Deposit Account No. 13-3723.

Respectfully submitted,

Mancy M. Lambert
Registration No. 44,856
Attorney for Applicants

NML:jlh/58203US004 Resp to Non-Compliant 3-8-06 Office of Intellectual Property Counsel 3M Innovative Properties Company P.O. Box 33427 St. Paul, Minnesota 55133-3427 (651) 733-2180

Facsimile: (651) 736-3833

Dated: March 20, 2006